



EA MLA Signatory
Český institut pro akreditaci, o.p.s.
(Czech Accreditation Institute)
Hájkova 2747/22, Žižkov, 130 00 Praha 3

issues

according to section 16 of Act No. 22/1997 Coll., on technical requirements for products and on changes and amendments to some Acts, as amended

CERTIFICATE OF ACCREDITATION

No. 608/2025

VIDIA-DIAGNOSTIKA, spol. s r.o.
with registered office Českomoravská 2510/19, Libeň, 190 00 Praha 9
Company Registration No. 41194811

for the Medical Laboratory No. **8089**
VIDIA-DIAGNOSTIKA Laboratory

Scope of accreditation:

Examinations in the field of medical microbiology, hematology, clinical biochemistry, including shared examinations and primary sample collection to the extent as specified in the appendix to this Certificate.

This Certificate of Accreditation is a proof of accreditation issued on the basis of assessment of fulfillment of the accreditation criteria in accordance with

ČSN EN ISO 15189 ed. 3:2023

In its activities performed within the scope and for the period of validity of this Certificate, the abovementioned Accredited Body is entitled to refer to this Certificate, provided that the accreditation is not suspended and the Accredited Body meets the specified accreditation requirements in accordance with the relevant regulations applicable to the activity of an accredited conformity assessment body.

This Certificate of Accreditation replaces, to the full extent, Certificate No.: 391/2024 of 15/08/2024, and/or any administrative acts building upon it.

The Certificate of Accreditation is valid until: **09/03/2028**

Prague: 24/11/2025



Signed in the Czech original:
Marek Vyskočil on 24/11/2025

Milena Lochmanová
Director of the Department
of Medical Laboratories
Czech Accreditation Institute

This translation of the Czech original has been issued by: Jana Chvalovská

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Medical laboratory locations:

1. Central laboratory Praha-microbiology	Českomoravská 2510/19, 190 00 Praha 9
2. Central laboratory Praha-biochemistry and haematology	Českomoravská 2510/19, 190 00 Praha 9
3. Workplace Nemocnice Sedlčany	Tyršova 161, 264 01 Sedlčany
4. Workplace Nemocnice Neratovice	Alšova 462, 277 11 Neratovice
5. Sampling room Praha-Černý Most	Generála Janouška 902/17, 198 00 Praha 9
6. Sampling room Praha-Modřany	Poliklinika Modřany, Soukalova 3355/3, 140 00 Praha 4
7. Sampling room Praha-Spořilov	Poliklinika Spořilov, Božkovská 2967/4, 141 00 Praha 4
8. Sampling room Praha-Poliklinika Olšanská	Olšanská 2666/7, 131 00 Praha 3
9. Sampling room Praha-Malvazinky	U Malvazinky 1500/5, 150 00 Praha 5
10. Sampling room Praha-Prosek	Kytlická 779/19, 190 00 Praha 9
11. Sampling room Praha-Zahradní Město	Jabloňová 2992/8, 106 00 Praha 10
12. Sampling room Příbram	Poliklinika RAVAK, Čechovská 57, 261 01 Příbram
13. Sampling room Poliklinika Kojetická	Poliklinika Neratovice, Kojetická 1021, 277 11 Neratovice
14. Sampling room Brandýs nad Labem	Výletní 2307, 250 01 Brandýs na Labem – Stará Boleslav
15. Sampling room Poděbrady	Jubilejní Dům, Jiráskova 252/5, 290 01 Poděbrady
16. Sampling room Mělník	Nemocniční 480, 276 01 Mělník
17. Sampling room Lysá nad Labem	Masarykova 214/19, 289 22 Lysá nad Labem
18. Sampling room Mělník SKYMED	Krombholcova 4370, 276 01 Mělník
19. Sampling room Stará Boleslav	Boleslavská 1391, 250 01 Brandýs nad Labem – Stará Boleslav
20. Sampling room Praha-Stamicova	Stamicova 1968/21, 160 00 Praha 6
21. Sampling room Praha-Skalka	Nedvězská 2223/29, 100 00 Praha 10
22. Sampling room Praha-Lípa	Seydlerova 2451/8, 158 00 Praha 13
23. Sampling room Praha-Litochleby	Hviezdoslavova 1600/6, 149 00 Praha 11
24. Sampling room Praha-Kbely	Železnobrodská 764/25, 197 00 Praha 9
25. Sampling room Praha-Dejvice	Vítězné náměstí 817/9, 160 00 Praha 6
26. Sampling room Praha-Kostelní	Kostelní 292/9, 170 00 Praha 7
27. Sampling room Praha-Hostinského	Hostinského 1536/7, 150 00 Praha 13
28. Sampling room Příbram II.	Čechovská 55, 261 01 Příbram

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

The laboratory applies a flexible approach to the scope of accreditation.

The current "List of activities within the flexible scope" is available on the website <https://www.vidia-diagnostika.cz/akreditace>

1. Central laboratory Praha-microbiology

Examinations:

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
802 – Medical Microbiology					
1.	Antibodies against infectious agents	Immunoassay with photometric detection (manual)	Commercial procedure	Serum, plasma, cerebrospinal fluid, punctate	A, B
2.	Antibodies against infectious agents	Immunoassay with photometric detection	Commercial procedure	Serum, plasma	A, B
3.	Antigens of infectious agents	Immunoassay with luminometric detection	Commercial procedure	Serum, plasma	A, B
4.	Antibodies against infectious agents	Immunoassay with luminometric detection	Commercial procedure	Serum, plasma	A, B
5.	HIV markers	Immunoassay with luminometric detection	Commercial procedure	Serum, plasma	A, B
6.	Antibodies against infectious agents	Immunoassay with fluorescence detection	Commercial procedure	Serum, plasma	A, B
7.	Antibodies against infectious agents	Complement fixation reaction	Published procedure	Serum, plasma	A, B
8.	Non-specific antibodies against <i>Treponema pallidum</i>	Agglutination	Commercial procedure	Serum, plasma	A, B
9.	Antibodies against infectious agents	Virus neutralization test	Published procedure	Serum, plasma	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
10.	Detection of nucleic acids of infectious agents	Real-Time PCR	Commercial procedure	Serum, plasma, urine, buffy coat, cerebrospinal fluid, bronchoalveolar lavage, cervical swab, urethral swab, coronal sulcus swab, nasopharyngeal swab, sputum, conjunctival swab, joint aspirate	A, B
11.	Antibodies against infectious agents	Immunoblotting	Commercial procedure	Serum, plasma	A, B
12.	Antigens of infectious agents	Immunochromatography	Commercial procedure	Stool	A, B
13.	Avidity of antibodies	Immunoassay with photometric detection (manual)	Commercial procedure	Serum, plasma	A, B
14.	Avidity of antibodies	Immunoassay with luminometric detection	Commercial procedure	Serum, plasma	A, B
15.	Bacteriological examination of blood and primarily sterile body fluids	Aerobic culture; Anaerobic culture; (automated) Microscopy	Commercial procedure; Published procedure	Blood, cerebrospinal fluid, joint punctate, chest punctate / effusion, pleural punctate, pericardial effusion, ascites, amniotic fluid, dialysate, bile	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
16.	Bacteriological examination of blood and primarily sterile body fluids	Microscopy; Aerobic culture; Anaerobic culture	Published procedure	Blood, cerebrospinal fluid, joint puncture, chest puncture/effusion, pleural puncture, pericardial effusion, ascites, amniotic fluid, dialysate, bile	A, B
17.	Clinically relevant antibiotic resistance screening	Aerobic culture	Published procedure	Pathological cavity contents, pus, secretion, abscess contents, fistula contents, paranasal sinus contents, wound swab, abscess swab, defect swab, pressure ulcer swab, leg ulcer swab, middle ear fluid swab, oral cavity swab, skin lesion swab, tissue, bone fragment	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
18.	Microbiological examination of clinical material	Microscopy; Anaerobic culture	Published procedure	Pathological cavity contents, pus, secretion, abscess contents, fistula contents, paranasal sinus contents, wound swab, abscess swab, defect swab, pressure ulcer swab, leg ulcer swab, middle ear fluid swab, oral cavity swab, skin lesion swab, tissue, bone fragment	A, B
19.	Microbiological examination of clinical material	Microscopy; Aerobic culture	Published procedure	Pathological cavity contents, pus, secretion, abscess contents, fistula contents, paranasal sinus contents, wound swab, abscess swab, defect swab, pressure ulcer swab, leg ulcer swab, middle ear fluid swab, oral cavity swab, skin lesion swab, tissue, bone fragment	A, B
20.	Microbiological examination of foreign bodies	Aerobic culture	Published procedure	Cannula, catheter, drain, joint implant	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
21.	Microbiological examination of upper respiratory tract	Aerobic culture	Published procedure	Swab from the throat, nose, nasopharynx, tonsils, pharynx, larynx	A, B
22.	Microbiological examination of the lower respiratory tract	Microscopy; Aerobic culture	Published procedure	Sputum, lower respiratory tract aspirate, bronchoalveolar lavage	A, B
23.	Microbiological examination of urine	Aerobic culture	Published procedure	Urine	A, B
24.	Microbiological examination of urogenital tract	Microscopy; Aerobic culture; Anaerobic culture	Published procedure	Vaginal swab, cervical swab, vaginal secretion, urethral swab, urethral secretion, prostatic secretion, ejaculate, placental swab, lochia swab, intrauterine device	A, B
25.	Microbiological examination of rectal swab	Aerobic culture; Anaerobic culture	Published procedure	Rectal swab, stool	A, B
26.	Detection of infectious agents' antigens	Immunochromatography	Published procedure	Urine	A, B
27.	Detection of <i>Staphylococcus aureus</i> protein	Immunochromatography	Commercial procedure	Bacterial culture	A, B
28.	Identification of the microorganism	Mass spectrometry	Commercial procedure	Bacterial culture, yeast culture, filamentous fungi	A, B
29.	Identification of the microorganism	Agglutination	Commercial procedure	Bacterial culture	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
30.	Identification of the microorganism	Phenotyping	Commercial procedure	Bacterial culture	A, B
31.	Antibiotic susceptibility testing	Disk diffusion test	Commercial procedure	Bacterial culture	A, B
32.	Quantitative examination of microorganism sensitivity	Microdilution method; E-test	Commercial procedure Published procedure	Bacterial culture, yeast culture, filamentous fungi	A, B
33.	Clinically relevant antibiotic resistance screening	Aerobic culture	Published procedure	Bacterial culture	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

2. Central laboratory Praha-biochemistry and haematology

Examinations:

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
801 – Clinical Biochemistry					
1.	Minerals	Potentiometry	Commercial procedure	Serum	A, B, C
2.	Non-protein nitrogenous compounds	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
3.	Glucose	Absorption spectrophotometry	Commercial procedure	Serum, plasma	A, B
4.	Total bilirubin	Absorption spectrophotometry	Commercial procedure	Serum	A, B
5.	Enzymes	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
6.	Lipids	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
7.	Glycated haemoglobin	High-Performance Liquid Chromatography	Commercial procedure	Blood	A, B
8.	Cardiac markers	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
9.	Tumor markers	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
10.	Proteins	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
11.	Minerals	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
813 - Allergology and Immunology Laboratory					
1.	C-reactive protein (CRP)	Immunoturbidimetry	Commercial procedure	Serum	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
815 - Nuclear Medicine Laboratory					
1.	Hormones	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
818 - Haematology Laboratory					
1.	Prothrombin test	Coagulation method with optical detection of coagulum	Commercial procedure	Plasma	A, B
2.	Activated partial thromboplastin time	Coagulation method with optical detection of coagulum	Commercial procedure	Plasma	A, B
3.	Blood count with a five-part differential leukocyte count	Flow cytometry; Impedance method; Photometry; Calculations	Commercial procedure	Blood	A, B, C
4.	D-dimers	Immunoassay with turbidimetric detection	Commercial procedure	Plasma	A, B

Primary sample collection:

Ordinal Number	Sample collection technique	Identification of sample collection procedure	Collected material	Degrees of freedom ¹
1.	Venepuncture	Published procedure	Venous blood	A, B
2.	Capillary puncture	Published procedure	Capillary blood	A, B
3.	Swab	Published procedure	Swab from throat, nose, nasopharynx	A, B
4.	Smear	Published procedure	Smear from skin	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

3. Workplace Nemocnice Sedlčany

Examinations:

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
801 – Clinical Biochemistry					
1.	Minerals	Potentiometry	Commercial procedure	Serum	A, B, C
2.	Non-protein nitrogenous compounds	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
3.	Glucose	Absorption spectrophotometry	Commercial procedure	Serum, plasma	A, B
4.	Total bilirubin	Absorption spectrophotometry	Commercial procedure	Serum	A, B
5.	Enzymes	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
6.	Lipids	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
7.	Glycated haemoglobin	High-Performance Liquid Chromatography	Commercial procedure	Blood	A, B
8.	Cardiac markers	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
9.	Tumor markers	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
10.	Proteins	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
11.	Minerals	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
12.	Osmolality	Cryoscopy	Commercial procedure	Serum	A, B, C

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
813 - Allergology and Immunology Laboratory					
1.	Specific proteins	Immunoturbidimetry	Commercial procedure	Serum	A, B, C
815 - Nuclear Medicine Laboratory					
1.	Hormones	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
818 - Haematology Laboratory					
1.	Activated partial thromboplastin time	Coagulation method with optical detection of coagulum	Commercial procedure	Plasma	A, B
2.	D-dimers	Immunoassay with turbidimetric detection	Commercial procedure	Plasma	A, B
3.	Prothrombin test	Coagulation method with optical detection of coagulum	Commercial procedure	Plasma	A, B
4.	Blood count with a five-part differential leukocyte count	Flow cytometry; Impedance method; Photometry; Calculations	Commercial procedure	Blood	A, B, C

Primary sample collection:

Ordinal Number	Sample collection technique	Identification of sample collection procedure	Collected material	Degrees of freedom ¹
1.	Venepuncture	Published procedure	Venous blood	A, B
2.	Capillary puncture	Published procedure	Capillary blood	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

4. Workplace Nemocnice Neratovice

Examinations:

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
801 – Clinical Biochemistry					
1.	Minerals	Potentiometry	Commercial procedure	Serum	A, B, C
2.	Non-protein nitrogenous compounds	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
3.	Glucose	Absorption spectrophotometry	Commercial procedure	Serum, plasma	A, B
4.	Total bilirubin	Absorption spectrophotometry	Commercial procedure	Serum	A, B
5.	Enzymes	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
6.	Lipids	Absorption spectrophotometry	Commercial procedure	Serum	A, B, C
7.	Glycated haemoglobin	High-Performance Liquid Chromatography	Commercial procedure	Blood	A, B
8.	Cardiac markers	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
9.	Tumor markers	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C
813 - Allergology and Immunology Laboratory					
1.	C-reactive protein (CRP)	Immunoturbidimetry	Commercial procedure	Serum	A, B
815 - Nuclear Medicine Laboratory					
1.	Hormones	Immunoassay with luminometric detection	Commercial procedure	Serum	A, B, C

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Ordinal Number	Analyte/parameter/diagnostics	Principle of examination	Identification of procedure/equipment	Examined material	Degrees of freedom ¹
818 - Haematology Laboratory					
1.	Prothrombin test	Coagulation method with optical detection of coagulum	Commercial procedure	Plasma	A, B
2.	Activated partial thromboplastin time	Coagulation method with optical detection of coagulum	Commercial procedure	Plasma	A, B
3.	D-dimers	Immunoassay with turbidimetric detection	Commercial procedure	Plasma	A, B

Primary sample collection:

Ordinal Number	Sample collection technique	Identification of sample collection procedure	Collected material	Degrees of freedom ¹
1.	Venepuncture	Published procedure	Venous blood	A, B
2.	Capillary puncture	Published procedure	Capillary blood	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

5. Sampling room Praha-Černý Most

Primary sample collection:

Ordinal Number	Sample collection technique	Identification of sample collection procedure	Collected material	Degrees of freedom ¹
1.	Venepuncture	Published procedure	Venous blood	A, B
2.	Capillary puncture	Published procedure	Capillary blood	A, B
3.	Swab	Published procedure	Swab from throat, nose, nasopharynx	A, B
4.	Smear	Published procedure	Smear from skin	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

6. **Sampling room Praha-Modřany**
7. **Sampling room Praha-Spořilov**
8. **Sampling room Praha-Poliklinika Olšanská**
9. **Sampling room Praha-Malvazinky**
10. **Sampling room Praha-Prosek**
11. **Sampling room Praha-Zahradní Město**
12. **Sampling room Příbram**
13. **Sampling room Poliklinika Kojetická**
14. **Sampling room Brandýs nad Labem**
15. **Sampling room Poděbrady**
16. **Sampling room Mělník**
17. **Sampling room Lysá nad Labem**
18. **Sampling room Mělník SKYMED**
19. **Sampling room Stará Boleslav**
20. **Sampling room Praha-Stamicova**
21. **Sampling room Praha-Skalka**
22. **Sampling room Praha-Lípa**
23. **Sampling room Praha-Litochleby**
24. **Sampling room Praha-Kbely**
25. **Sampling room Praha-Dejvice**
26. **Sampling room Praha-Kostelní**
27. **Sampling room Praha-Hostinského**
28. **Sampling room Příbram II.**

Primary sample collection:

Ordinal Number	Sample collection technique	Identification of sample collection procedure	Collected material	Degrees of freedom ¹
1.	Venepuncture	Published procedure	Venous blood	A, B
2.	Capillary puncture	Published procedure	Capillary blood	A, B

**The Appendix is an integral part of
Certificate of Accreditation No. 608/2025 of 24/11/2025**

Accredited entity according to ČSN EN ISO 15189 ed. 3:2023:

VIDIA-DIAGNOSTIKA, spol. s r.o.
CAB Number 8089, VIDIA-DIAGNOSTIKA Laboratory
Českomoravská 2510/19, Libeň, 190 00 Praha 9

Explanatory notes:

¹ Established degrees of freedom according to MPA 00-09-...:

- A – Flexibility concerning the documented examination / sample collection procedure
- B – Flexibility concerning the technique
- C – Flexibility concerning the analytes / parameters
- D – Flexibility concerning the examined material
- E – Flexibility concerning the POCT delivery points

If no degree of freedom is specified, the laboratory cannot apply a flexible approach to the scope of accreditation for this examination.

"This document is an appendix to the certificate of accreditation. In case of any discrepancies between the English and Czech versions, the Czech version shall prevail, both for the certificate appendix and the certificate itself. "