

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

*The laboratory applies a flexible approach to the scope of accreditation.*

*The current list of activities carried out within the flexible scope is available on the laboratory's website <https://www.eguhv.com/testing-rd/#testing> in the form of the „List of activities within the flexible scope of accreditation“.*

*The laboratory provides opinions and interpretations of the test results.*

**Tests:**

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
<b>1</b>	<b>DC voltage tests</b>			
1.1	DC voltage tests	IEC 60060-1 ed. 3, cl. 5; ČSN EN 60060-1, cl. 5; IEEE 4, cl. 7	Equipment with highest voltage for equipment above 1 kV	A, D
1.2	DC voltage tests	IEEE Std 386, cl. 7.5.2	Separable insulated connectors for voltage systems over 600 V	A, D
1.3	DC voltage tests	IEC 60077-1 ed. 2.0, cl. 9.3.3; ČSN EN 60077-1 ed. 2, cl. 9.3.3; IEC 60077-2 ed. 2.0, cl. 9.3.3; ČSN EN 60077-2 ed. 2, cl. 9.3.3; EN 50124-1 ed. 3, cl. 7.5; ČSN EN 50124-1, ed. 3, cl. 7.5	Railway equipment	A, D
1.4	DC voltage tests	IEC 61442 ed. 3.0, cl. 6; ČSN EN 61442, cl. 5; IEC 60502-4 ed. 4.0; ČSN 34 7006 ed. 3; HD 629.1 S3, cl. 7; HD 629.2 S3, cl. 8; ČSN 34 7007 ed. 3, cl. 7;	Cable accessories	A, D
1.5	DC voltage tests	IEC 62497-1 ed. 1.1, cl. 7.5	Switchgear and controlgear	A, D
1.6	DC voltage tests	IEC 62848-1 ed. 1.0, cl. 6.2.5	Railway applications - DC surge arresters	A, D
1.7	DC voltage tests	IEC 60358-1 ed. 1.0, cl. 9.2.3, 10.2.1.2, 10.4; ČSN EN 60358-1, cl. 9.2.3, 10.2.1.2, 10.4	Coupling capacitors and capacitive dividers	A, D
1.8	DC voltage tests	ČSN IEC 60840, Annex H.3.2.2, H.3.2.3, H.4.1 IEC 60840 ed. 5.0, Annex H.3.2.2, H.3.2.3, H.4.1; HD 632 S3, Annex G 4.3.1	Power cables from 30 kV to 150 kV	A, D
1.9	DC voltage tests	IEC 62067 ed. 3.0, Annex H.3.3.2, H.3.3.3	Power cables from 150 kV to 500 kV	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
<b>2</b>	<b>AC voltage tests</b>			
2.1	AC voltage tests	IEC 60060-1 ed. 3, cl. 6; ČSN EN 60060-1, cl. 6; IEEE 4, cl. 6	Equipment with highest voltage for equipment above 1 kV	A, D
2.2	AC voltage tests	IEEE Std 386, cl. 7.5.1	Separable insulated connectors for voltage systems over 600 V	A, D
2.3	AC voltage tests	IEC 60076-3 ed. 3.0, cl. 10, 11, 12; ČSN EN 60076-3 ed. 2, cl. 10, 11, 12	Power transformers	A, D
2.4	AC voltage tests	IEC 60077-1 ed. 2.0, cl. 9.3.3; ČSN EN 60077-1 ed. 2, cl. 9.3.3; IEC 60077-2 ed. 2, cl. 9.3.3; ČSN EN 60077-2 ed. 2, cl. 9.3.3; IEC 61992-3 ed. 2, cl. 8.3.3; EN 50124-1, cl. 7.4; ČSN EN 50124-1 ed. 2, cl. 7.4; ČSN EN 50345 ed. 2, cl. 6.2.3, 6.3.3	Railway equipment	A, D
2.5	AC voltage tests	IEC 62848-1 ed. 1.0, cl. 6.2.4	Railway applications – DC metal-oxide surge arresters	A, D
2.6	AC voltage tests	ČSN EN 50123-1 ed. 2, cl. 7.5.2	Railway applications - DC switchgear	A, D
2.7	AC voltage tests	IEC 60099-4 ed. 3, cl. 8.2, 11.8.2; ČSN EN 60099-4 ed. 3, cl. 8.2, 11.8.2; ČSN EN IEC 60099-8 ed. 2, cl. 8.2.3.3; ČSN EN 60099-9, cl. 9.2; IEEE Std. C62.11, cl. 8.1	Metal-oxide surge arresters	A, D
2.8	AC voltage tests	EN 3-7+A1, cl. 9, Annex C; ČSN EN 3-7+A1, cl. 9, Annex C	Portable extinguishers	A, D
2.9	AC voltage tests	IEC 60137 ed. 7.0, cl. 8.2, 8.3, 9.4, 9.6; ČSN EN 60137 ed. 4, cl. 8.2, 8.3, 9.4, 9.6; IEEE Std. C57.19.01, tab. 1, A.1; IEEE Std. C57.19.00, cl. 7.2, 7.4	Bushings	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
2.10	AC voltage tests	IEC 60168, ed. 4.2, cl. 4, 4.7, 4.8; ČSN EN 60168, cl. 4, 4.7, 4.8; AS 4398.2-2005, cl. 4, 4.7, 4.8; CAN/CSA C156.1-18, cl. 9.2.3	Station post insulators	A, D
2.11	AC voltage tests	IEC 60076-3 ed. 3.0, cl. 10, 11, 12; ČSN EN 60076-3 ed. 2, cl. 10, 11, 12; IEC 60076-6 ed. 1.0, cl. 11.8.8; ČSN IEC 60076-6, cl. 11.8.8	Reactors	A, D
2.12	AC voltage tests	IEC 60358-1 ed. 1.0, cl. 9.2.3, 9.2.5, 10.2.1.1 ČSN EN 60358-1, cl. 9.2.3, 9.2.5, 10.2.1.1	Coupling capacitors and capacitive dividers	A, D
2.13	AC voltage tests	IEC 60383-1 ed. 5.0, cl. 13; ČSN EN IEC 60383-1, cl. 4, 13; ANSI C29.3, cl. 8.2.1, 8.2.2; AS/NZS 2947.1, cl. 14; AS 3609-2005, cl. 2.2, 4.2	Ceramic and glass insulators	A, D
2.14	AC voltage tests	IEC 60383-2 ed. 1, cl. 2, 10; ČSN EN 60383-2, cl. 2, 10;	Insulator strings and insulator sets	A, D
2.15	AC voltage tests	IEC 60660 ed. 2, cl. 2, 2.5, 3.4; ČSN EN 60660, cl. 2, 2.5, 3.4	Post insulators of organic materials	A, D
2.16	AC voltage tests	IEC 62271-103 ed. 2.0, cl. 7.2; IEC 62271-104, ed. 3.0, cl. 7.2; ČSN EN 62271-1 ed. 2, cl. 7.2, Annex E, F; ČSN EN 62271-103, cl. 7.2; ČSN EN 62271-104 ed. 3, cl. 7.2; IEEE Std C37.30.1, cl. 8.1.1	Switchgear and controlgear	A, D
2.17	AC voltage tests	IEC 61057 ed. 2.0, cl. 6.6, 6.7; ČSN EN 61057 ed. 2, cl. 6	Insulating working platforms	A, D
2.18	AC voltage tests	IEC 61109 ed. 2.0, cl. 11, 11.1, tab. 3; ČSN EN 61109, cl. 11, 11.1, tab. 3; NTC 5651, cl. 8.1.2	Composite insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
2.19	AC voltage tests	IEC 61869-1 ed. 2.0, cl. 7.2.4, 7.3.1, 7.3.3, 7.3.4; ČSN EN 61869-1, cl. 7.2.4, 7.3.1, 7.3.3, 7.3.4; IEC 61869-2 ed. 1.0, cl. 7.2.4, 7.3.1, 7.3.3, 7.3.4; ČSN EN 61869-2, cl. 7.2.4, 7.3.1, 7.3.3, 7.3.4	Instrument transformers	A, D
2.20	AC voltage tests	IEC 61869-3 ed. 1.0, cl. 7.3.1; ČSN EN 61869-3, cl. 7.3.1	Instrument transformers - inductive voltage transformers	A, D
2.21	AC voltage tests	IEC 61869-4 ed. 1.0, cl. 7.3.1	Instrument transformers - combined transformers	A, D
2.22	AC voltage tests	IEC 61869-5 ed. 1.0, cl. 7.2.4, 7.3.1; ČSN EN 61869-5, cl. 7.2.4, 7.3.1	Instrument transformers - capacitor voltage transformers	A, D
2.23	AC voltage tests	IEC 61952 ed. 2.0, cl. 11, tab. 3; ČSN EN 61952 ed. 2, cl. 11, tab. 3; CSA C411.6-16, cl. 6.2	Composite line post insulators for overhead lines	A, D
2.24	AC voltage tests	IEC 62231 ed. 1, cl. 9.2.2; ČSN EN 62231, cl. 9.2.2; ANSI C29.19, cl. 8.1; CAN/CSA C156.2-18, cl. 6.2	Composite station post insulators	A, D
2.25	AC voltage tests	IEC 62271-100 ed. 3.0, cl. 6.2, 7.1, 7.2; ČSN EN 62271-100 ed. 3, cl. 6.2, 7.1, 7.2	High-voltage alternating-current circuit breakers	A, D
2.26	AC voltage tests	IEC 62271-102 ed. 2.0, cl. 7.2, 8.1, 8.2; ČSN EN 62271-102 ed. 2, cl. 6.2, 7.1, 7.2; IEC 62497-1 ed. 1.1, cl. 7.4	Disconnectors and earthing switches	A, D
2.27	AC voltage tests	IEC 62271-105 ed. 3, cl. 6.2; ČSN EN 62271-105 ed. 3, cl. 6.2; IEEE Std. C37.42, cl. 6.1;	Alternating current switch-fuse combinations	A, D
2.28	AC voltage tests	IEEE C37.41, cl. 8.2, 8.3	Fuses and accessories over 1 kV	A, D
2.29	AC voltage tests	IEC 62271-200 ed. 3, cl. 6.2, 7.1; ČSN EN 62271-200 ed. 3, cl. 6.2, 7.1	Metal-enclosed switchgear and controlgear	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
2.30	AC voltage tests	IEC 62271-203 ed. 3, cl. 6.2, 7.1; ČSN EN 62271-203 ed. 3, cl. 6.2, 7.1	Gas-insulated metal-enclosed switchgear	A, D
2.31	AC voltage tests	IEC 62772 ed. 2.0, cl. 9.4.5, 9.4.6	Composite hollow core station post insulators	A, D
2.32	AC voltage tests	ANSI C29.1, cl. 4.2, 4.3, 4.4, 4.5	Insulators	A, D
2.33	AC voltage tests	ANSI C29.2A, cl. 8.2.3, 8.2.4; ANSI C29.2B, cl. 8.2.1, 8.2.2	Suspension type insulators - porcelain or glass	A, D
2.34	AC voltage tests	ANSI C29.4, cl. 8.2.1, 8.2.2	Porcelain insulators	A, D
2.35	AC voltage tests	ANSI C29.5, cl. 8.2.1, 8.2.2; ANSI C29.6, cl. 8.2.1, 8.2.2; ANSI C29.7, cl. 8.2.1, 8.2.2	Porcelain insulators (pin type & line-post type)	A, D
2.36	AC voltage tests	ANSI C29.9, cl. 8.2.1	Ceramic insulators - apparatus and post-type	A, D
2.37	AC voltage tests	ANSI C29.11, cl. 8.1, 8.2.1, 8.2.2, 8.2.3, 8.2.4	Composite suspension insulators for overhead lines	A, D
2.38	AC voltage tests	ANSI C29.13, cl. 9.1, 9.2	Composite insulators of distribution deadend type	A, D
2.39	AC voltage tests	ANSI C.29.17, cl. 8.1, 8.2 ANSI C29.18, cl. 9.1,9.2	Composite line post insulators	A, D
2.40	AC voltage tests	CSA C411.1, cl. 6.3, 6.4	Suspension insulators	A, D
2.41	AC voltage tests	ANSI C.29.12, cl. 9.1, 9.2; CSA C411.4-16, cl. 6.3; CSA C411.5-16, cl. 6.2	Composite suspension insulators	A, D
2.42	AC voltage tests	IEC 61442 ed. 3.0, cl. 5; ČSN EN 61442, cl. 4; IEC 60502-4 ed. 4.0; ČSN 34 7006 ed. 3; HD 629.1 S3, cl. 7; HD 629.2 S3, cl. 8; ČSN 34 7007 ed. 3, cl. 7	Cable accessories	A, D
2.43	AC voltage tests	IEC 62271-103 ed. 2.0, cl. 6.2; ČSN EN 62271-103 ed. 2, cl. 6.2	Switches	A, D
2.44	AC voltage tests	ČSN EN IEC 62271-213, cl. 7.3.3, 7.3.4, 7.4, 7.5, 7.6, 7.7 ČSN EN IEC 62271-215, cl. 7.4.3, 7.4.4, 7.5	Voltage detecting systems (VDS)	A, D
2.45	AC voltage tests	ČSN IEC 60502-2, ed. 3.0, cl. 16.4, 18.2.9; ČSN IEC 60502-1, cl. 17.4; NEN-HD 620 S3, cl. 3.3; HD 605-S3, cl. 3.2.1, 3.2.5	Power cables from 1 kV up to 30 kV	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
2.46	AC voltage tests	ČSN IEC 60840, cl. 9.3, 12.4.7; IEC 60840 ed. 5.0, cl. 9.3, 12.4.7; VDE 0276-632, cl. 12.4.7; HD 632 S3, cl. 9.3, 12.4.7	Power cables from 30 kV up to 150 kV	A, D
2.47	AC voltage tests	IEC 62067 ed. 3.0, cl. 9.3, 12.4.7.2	Power cables from 150 kV up to 500 kV	A, D
<b>3</b>	<b>Tests with lightning impulse voltage</b>			
3.1	Tests with lightning impulse voltage	IEC 60060-1 ed. 3, cl. 7; ČSN EN 60060-1, cl. 7; IEEE 4, cl. 8	Equipment with highest voltage for equipment above 1 kV	A, D
3.2	Tests with lightning impulse voltage	IEEE Std 386, cl. 7.5.3	Separable insulated connectors for voltage systems over 600 V	A, D
3.3	Tests with lightning impulse voltage	IEC 60076-3 ed. 3.0, cl. 13; ČSN EN 60076-3 ed. 2, cl. 13; IEC 60076-4 ed. 1, cl. 7, 9.1; ČSN EN 60076-4, cl. 7, 9.1	Power transformers	A, D
3.4	Tests with lightning impulse voltage	IEC 60077-1 ed. 2.0, cl. 9.3.3; ČSN EN 60077-1 ed. 2, cl. 9.3.3; IEC 60077-2 ed. 2, cl. 9.3.3; ČSN EN 60077-2 ed. 2, cl. 9.3.3; IEC 61992-3 ed. 2, cl. 8.3.3; EN 50124-1, cl. 7.3; ČSN EN 50124-1 ed. 2, cl. 7.3; ČSN EN 50345 ed. 2, cl. 6.3.2	Railway equipment	A, D
3.5	Tests with lightning impulse voltage	IEC 60099-4 ed. 3.0, cl. 8.2, 11.8.2 ČSN EN 60099-4 ed. 3, cl. 8.2, 11.8.2; ČSN EN IEC 60099-8 ed. 2, cl. 8.2.2, 8.4, cl. 10.5.3; ČSN EN 60099-9, cl. 9.2; IEEE Std. C62.11, cl. 8.1	Metal-oxide surge arresters	A, D
3.6	Tests with lightning impulse voltage	IEC 60137 ed. 7, cl. 8.4, 9.3; ČSN EN 60137 ed. 4, cl. 8.4, 9.3; IEEE Std. C57.19.01, tab. 1, A.1; IEEE Std. C57.19.00, cl. 7.2	Bushings	A, D
3.7	Tests with lightning impulse voltage	IEC 60168 ed. 4.2, cl. 4, 4.5; ČSN EN 60168, cl. 4, 4.5; AS 4398.2-2005, cl. 4, 4.5; CAN/CSA C156.1-18, cl. 9.2.2	Station post insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
3.8	Tests with lightning impulse voltage	IEC 60076-3 ed. 3.0, cl. 13; ČSN EN 60076-3 ed. 2, cl. 13; IEC 60076-4 ed. 1.0, cl. 7, 9.1; IEC 60076-6 ed. 1, cl. 11.8.8; ČSN EN 60076-4, cl. 7, 9.1; ČSN EN 60076-6, cl. 11.8.8	Reactors	A, D
3.9	Tests with lightning impulse voltage	IEC 60358-1 ed. 1.0, cl. 10.1; ČSN EN 60358-1, cl. 10.1	Coupling capacitors and capacitive dividers	A, D
3.10	Tests with lightning impulse voltage	IEC 60383-1 ed. 5, cl. 12; ČSN EN IEC 60383-1, cl. 4, 12; AS/NZS 2947.1, cl. 13	Ceramic and glass insulators	A, D
3.11	Tests with lightning impulse voltage	IEC 60383-2 ed. 1, cl. 2, 9; ČSN EN 60383-2, cl. 2, 9;	Insulator strings and insulator sets	A, D
3.12	Tests with lightning impulse voltage	IEC 60660 ed. 2, cl. 2, 2.4, 3.3; ČSN EN 60660, cl. 2, 2.4, 3.3	Post insulators of organic materials	A, D
3.13	Tests with lightning impulse voltage	IEC 62271-103 ed. 2.0, cl. 7.2; IEC 62271-104 ed. 3.0, cl. 7.2; ČSN EN 62271-1 ed. 2, cl. 7.2, Annex E, F; ČSN EN 62271-103 ed. 2, cl. 7.2; ČSN EN 62271-104 ed. 3, cl. 7.2; IEEE Std C37.30.1, cl. 8.1.2	Switchgear and controlgear	A, D
3.14	Tests with lightning impulse voltage	IEC 61109 ed. 2.0, cl. 11, 11.1, tab. 3; ČSN EN 61109, cl. 11, 11.1, tab. 3; NTC 5651, cl. 8.1.1	Composite insulators	A, D
3.15	Tests with lightning impulse voltage	ČSN EN IEC 62271-213, cl. 7.3.2 ČSN EN IEC 62271-215, cl. 7.4.2	Voltage detecting systems (VDS)	A, D
3.16	Tests with lightning impulse voltage	IEC 61869-1 ed. 2.0, cl. 7.2.3, 7.4.1, 7.4.2; ČSN EN 61869-1, cl. 7.2.3, 7.4.1, 7.4.2; IEC 61869-2 ed. 2.0, cl. 7.2.3, 7.4.1, 7.4.2; ČSN EN 61869-2, cl. 7.2.3, 7.4.1, 7.4.2	Instrument transformers	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
3.17	Tests with lightning impulse voltage	IEC 61869-3 ed. 1.0, cl. 7.2.3, 7.2.3.2; ČSN EN 61869-3, cl. 7.2.3, 7.2.3.2	Instrument transformers - inductive voltage transformers	A, D
3.18	Tests with lightning impulse voltage	IEC 61869-4 ed. 1.0, cl. 7.2.3	Instrument transformers - combined transformers	A, D
3.19	Tests with lightning impulse voltage	IEC 61869-5 ed. 1.0, cl. 7.2.3, 7.4.1; ČSN EN 61869-5, cl. 7.2.3, 7.4.1	Instrument transformers - capacitor voltage transformers	A, D
3.20	Tests with lightning impulse voltage	IEC 61952 ed. 2.0, cl. 11, tab. 3; ČSN EN 61952 ed. 2, cl. 11, tab. 3; ANSI C29.17, cl. 8.3; ANSI C29.18, cl. 9.3; CSA C411.6-16, cl. 6.3	Composite line post insulators for overhead lines	A, D
3.21	Tests with lightning impulse voltage	IEC 62231 ed. 1, cl. 9.2.1; ČSN EN 62231, cl. 9.2.1; ANSI C29.19, cl. 8.2, 8.3; CAN/CSA C156.2-18, cl. 6.3	Composite station post insulators	A, D
3.22	Tests with lightning impulse voltage	IEC 62271-100 ed. 3, cl. 6.2; ČSN EN IEC 62271-100 ed. 3, cl. 6.2	High-voltage alternating-current circuit breakers	A, D
3.23	Tests with lightning impulse voltage	IEC 62271-102 ed. 2.0, cl. 7.2; ČSN EN 62271-102 ed. 2, cl. 6.2; IEC 62497-1 ed. 1.1, cl. 7.3	Disconnectors and earthing switches	A, D
3.24	Tests with lightning impulse voltage	IEC 62271-105 ed. 3.0, cl. 6.2; ČSN EN 62271-105 ed. 3, cl. 6.2; IEEE Std. C37.42, cl. 6.1	Alternating current switch-fuse combinations	A, D
3.25	Tests with lightning impulse voltage	IEEE C37.41, cl. 8.5	Fuses and accessories over 1 kV	A, D
3.26	Tests with lightning impulse voltage	IEC 62271-200 ed. 3.0, cl. 6.2; ČSN EN 62271-200 ed. 3, cl. 6.2	Metal-enclosed switchgear and controlgear	A, D
3.27	Tests with lightning impulse voltage	IEC 62271-203 ed. 3.0, cl. 6.2, 7.1; ČSN EN 62271-203 ed. 3, cl. 6.2, 7.1	Gas-insulated metal-enclosed switchgear	A, D
3.28	Tests with lightning impulse voltage	IEC 62772 ed. 2.0, cl. 9.4.3	Composite hollow core station post insulators	A, D
3.29	Tests with lightning impulse voltage	ANSI C29.1, cl. 4.7, 4.8	Insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
3.30	Tests with lightning impulse voltage	ANSI C29.2A, cl. 8.2.5; ANSI C29.2B, cl. 8.2.3	Suspension type insulators - porcelain or glass	A, D
3.31	Tests with lightning impulse voltage	ANSI C29.5, cl. 8.2.3; ANSI C29.6, cl. 8.2.3; ANSI C29.7, cl. 8.2.3	Porcelain insulators (pin type & line-post type)	A, D
3.32	Tests with lightning impulse voltage	ANSI C29.9, cl. 8.2.2, 8.2.3	Ceramic insulators - apparatus and post-type	A, D
3.33	Tests with lightning impulse voltage	ANSI C29.11, cl. 8.1, 8.2.6, 8.2.7	Composite suspension insulators for overhead lines	A, D
3.34	Tests with lightning impulse voltage	ANSI C29.13, cl. 9.3	Composite insulators of distribution deadend type	A, D
3.35	Tests with lightning impulse voltage	CSA C411.1, cl. 6.5	Suspension insulators	A, D
3.36	Tests with lightning impulse voltage	ANSI C29.12, cl. 9.3; CSA C411.4-16, cl. 6.2; CSA C411.5-16, cl. 6.3	Composite suspension insulators	A, D
3.37	Tests with lightning impulse voltage	IEC 61442 ed. 3.0, cl. 7; ČSN EN 61442, cl. 6; IEC 60502-4 ed. 4.0; ČSN 34 7006 ed. 3; HD 629.1 S3, cl. 7; HD 629.2 S3, cl. 8; ČSN 34 7007 ed. 3, cl. 7	Cable accessories	A, D
3.38	Tests with lightning impulse voltage	ČSN EN 50123-1 ed. 2, cl. 7.5.1	Railway applications - DC switchgear	A, D
3.39	Tests with lightning impulse voltage	IEC 62271-103 ed. 2.0, cl. 6.2; ČSN EN 62271-103 ed. 2, cl. 6.2	Switches	A, D
3.40	Tests with lightning impulse voltage	ČSN IEC 60230, cl. 10	Cables and accessories	A, D
3.41	Tests with lightning impulse voltage	ČSN IEC 60502-2, cl. 18.2.8; ČSN IEC 60502-1, cl. 17.5; NEN-HD 620 S3, cl. 3.3; HD 605-S3, cl. 3.2.4	Power cables from 1 kV up to 30 kV	A, D
3.42	Tests with lightning impulse voltage	ČSN IEC 60840, cl. 12.4.7, Annex H.3.2.4, H.3.2.5, H.4.2; IEC 60840 ed. 5.0, cl. 12.4.7, Annex H.3.2.4, H.3.2.5, H.4.2; VDE 0276-632, cl. 12.4.7; HD 632 S3, cl. 12.4.7, Annex G 4.3.2	Power cables from 30 kV up to 150 kV	A, D
3.43	Tests with lightning impulse voltage	IEC 62067 ed. 3.0, cl. 12.4.7.2, Annex H.3.3.4, H.3.3.5	Power cables from 150 kV up to 500 kV	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
<b>4</b>	<b>Tests with switching impulse voltage</b>			
4.1	Tests with switching impulse voltage	IEC 60060-1 ed. 3, cl. 8; ČSN EN 60060-1, cl. 8; IEEE 4, cl. 8	Equipment with highest voltage for equipment above 1 kV	A, D
4.2	Tests with switching impulse voltage	IEC 61869-2 ed. 1.0, cl. 7.2.3, 7.2.4; ČSN EN 61869-2, cl. 7.2.3, 7.2.4	Instrument transformers	A, D
4.3	Tests with switching impulse voltage	IEC 60076-3 ed. 3.0, cl. 14; ČSN EN 60076-3 ed. 2, cl. 14; IEC 60076-4 ed.1, cl. 8, 9.2; ČSN EN 60076-4, cl.8, 9.2	Power transformers	A, D
4.4	Tests with switching impulse voltage	IEC 60099-4 ed. 3.0, cl. 8.2, 11.8.2; ČSN EN 60099-4 ed. 3, cl. 8.2, 11.8.2; ČSN EN IEC 60099-8 ed. 2, cl. 8.2.3.2; ČSN EN 60099-9, cl. 9.2; IEEE Std. C62.11, cl. 8.1	Metal-oxide surge arresters	A, D
4.5	Tests with switching impulse voltage	IEC 60137 ed. 7.0, cl. 8.5; ČSN EN 60137 ed. 4, cl. 8.5; IEEE Std. C57.19.01, tab. 1, A.1; IEEE Std. C57.19.00, cl. 7.2	Bushings	A, D
4.6	Tests with switching impulse voltage	IEC 60168 ed. 4.2, cl. 4, 4.6; ČSN EN 60168, cl. 4, 4.6; AS 4398.2-2005, cl. 4, 4.6	Station post insulators	A, D
4.7	Tests with switching impulse voltage	IEC 60358-1, ed. 1.0, cl. 10.2.2; ČSN EN 60358-1, cl. 10.2.2	Coupling capacitors and capacitive dividers	A, D
4.8	Tests with switching impulse voltage	IEC 60383-2 ed. 1, cl. 11; ČSN EN 60383-2, cl. 2, 11;	Insulator strings and insulator sets	A, D
4.9	Tests with switching impulse voltage	IEC 62772 ed. 2.0, cl. 9.4.4	Composite hollow core station post insulators	A, D
4.10	Tests with switching impulse voltage	IEC 62271-104 ed. 3, cl. 7.2; ČSN EN 62271-1 ed. 2, cl. 7.2, Annex E, F; ČSN EN 62271-104 ed. 3, cl. 7.2; IEEE Std C37.30.1, cl. 8.1.4	Switchgear and controlgear	A, D
4.11	Tests with switching impulse voltage	IEC 61057 ed. 2.0, cl. 6.6, 6.7; ČSN EN 61057, ed. 2, cl. 6	Insulating working platforms	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
4.12	Tests with switching impulse voltage	IEC 61109 ed. 2.0, cl. 11, 11.1, tab. 3; ČSN EN 61109, cl. 11, 11.1, tab. 3;	Composite insulators	A, D
4.13	Tests with switching impulse voltage	IEC 61869-1 ed. 2.0, cl. 7.2.3, 7.2.4; ČSN EN 61869-1, cl. 7.2.3, 7.2.4	Instrument transformers	A, D
4.14	Tests with switching impulse voltage	IEC 61869-3 ed. 1.0, cl. 7.2.3.3; ČSN EN 61869-3, cl. 7.2.3.3	Instrument transformers - inductive voltage transformers	A, D
4.15	Tests with switching impulse voltage	IEC 61869-4 ed. 1.0, cl. 7.2.3	Instrument transformers - combined transformers	A, D
4.16	Tests with switching impulse voltage	IEC 61869-5 ed. 1.0, cl. 7.2.3, 7.2.4; ČSN EN 61869-5, cl. 7.2.3, 7.2.4	Instrument transformers - capacitor voltage transformers	A, D
4.17	Tests with switching impulse voltage	IEC 61952 ed. 2, cl. 11, tab. 3; ČSN EN 61952 ed. 2, cl. 11, tab. 3;	Composite line post insulators for overhead lines	A, D
4.18	Tests with switching impulse voltage	IEC 62271-100 ed. 3.0, cl. 6.2; ČSN EN IEC 62271-100 ed. 3, cl. 6.2	High-voltage alternating-current circuit breakers	A, D
4.19	Tests with switching impulse voltage	IEC 62271-102 ed. 2.0, cl. 7.2; ČSN EN IEC 62271-102 ed. 2, cl. 6.2	Disconnectors and earthing switches	A, D
4.20	Tests with switching impulse voltage	IEC 62271-103 ed. 2.0, cl. 7.2; ČSN EN 62271-103 ed. 2, cl. 7.2	Switches and disconnectors Switches	A, D
4.21	Tests with switching impulse voltage	IEC 62271-105 ed. 3.0, cl. 6.2; ČSN EN 62271-105 ed. 3, cl. 6.2	Switch with fuses	A, D
4.22	Tests with switching impulse voltage	IEC 62271-200 ed. 3.0, cl. 6.2; ČSN EN 62271-200 ed. 3, cl. 6.2	Metal- enclosed switchgear and controlgear	A, D
4.23	Tests with switching impulse voltage	IEC 62271-203 ed. 3.0, cl. 6.2; ČSN EN 62271-203 ed. 3, cl. 6.2	Gas-insulated metal-enclosed switchgear	A, D
4.24	Tests with switching impulse voltage	ANSI C29.11, cl. 8.1, 8.2.5	Composite suspension insulators for overhead lines	A, D
4.25	Tests with switching impulse voltage	ČSN IEC 60230 ed. 2, cl. 10	Cables and accessories	A, D
4.26	Tests with switching impulse voltage	IEC 62067 ed. 3.0, cl. 12.4.7.1	Power cables from 150 kV up to 500 kV	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
<b>5</b>	<b>Combined and composite high voltage tests</b>			
5.1	Combined and composite high voltage tests	IEC 60060-1 ed. 3, cl. 9; ČSN EN 60060-1, cl. 9; IEEE 4, cl. 10	Equipment with highest voltage for equipment above 1 kV	A, D
5.2	Combined and composite high voltage tests	IEEE Std C37.30.1, cl. 8.1.3	Switchgear and controlgear	A, D
<b>6</b>	<b>Dielectric artificial pollution tests</b>			
6.1	Dielectric artificial pollution tests	IEC 60507 ed. 3.0; ČSN EN 60507	Insulators	A, D
6.2	Dielectric artificial pollution tests	IEC/TS 60815-1 ed. 1.0, Annex C	Insulators for overhead lines	A, D
6.3	Dielectric artificial pollution tests	ČSN EN IEC 62271-213, cl. 7.3.5	Voltage detecting systems (VDS)	A, D
6.4	Dielectric artificial pollution tests	IEC 62271-103 ed. 2.0, cl. 7.2.9; ČSN EN 62271-103 ed. 2, cl. 7.2.9	Switches	A, D
6.5	Dielectric artificial pollution tests	IEC 60099-4 ed. 3.0, cl. 10.8.17.2; ČSN EN 60099-4 ed. 3, cl. 10.8.17.2; IEEE C62.11, cl. 8.7	Metal-oxide surge arresters	A, D
6.6	Dielectric artificial pollution tests	IEC 61109 ed. 2.0, cl. 10.1, 10.2.2; ČSN EN 61109, cl. 10.1, 10.2.2;	Composite insulators	A, D
6.7	Dielectric artificial pollution tests	IEC 61442 ed. 3.0, cl. 14; ČSN EN 61442, cl. 13; IEC 60502-4 ed. 4.0; ČSN 34 7006 ed. 3	Cable accessories	A, D
6.8	Dielectric artificial pollution tests	IEC 61462 ed. 2.0, cl 7.3.3; ČSN EN 61462, cl 7.3.3	Composite hollow insulators	A, D
6.9	Dielectric artificial pollution tests	IEC 61952 ed. 2.0, cl. 10.1, 10.2.2; ČSN EN 61952 ed. 2, cl. 10.1, 10.2.2; CSA C411.6-16, cl. 5.7, method 2	Composite line post insulators for overhead lines	A, D
6.10	Dielectric artificial pollution tests	IEC 62217 ed. 2.0, cl. 9.3.3; ČSN EN 62217 ed. 2, cl. 9.3.3	Polymeric insulators for indoor and outdoor use	A, D
6.11	Dielectric artificial pollution tests	IEC 62772 ed. 1.0, cl. 8.4	Composite hollow core station post insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
6.12	Dielectric artificial pollution tests	IEC 62231 ed. 1, cl. 8.4; ČSN EN 62231, cl. 8.4; ANSI C29.19, cl. 7.3; CAN/CSA C156.2-18, cl. 5.7	Composite station post insulators	A, D
6.13	Dielectric artificial pollution tests	ČSN EN 50345 ed. 2, cl. 6.2.4	Railway equipment	A, D
6.14	Dielectric artificial pollution tests	ANSI C29.11, cl. 7.3	Composite suspension insulators for overhead lines	A, D
6.15	Dielectric artificial pollution tests	ANSI C29.13, cl. 8.6	Composite insulators of distribution deadend type	A, D
6.16	Dielectric artificial pollution tests	ANSI C29.17, cl. 7.3	Composite line post insulators	A, D
6.17	Dielectric artificial pollution tests	IEC/TR 62730 ed. 1.0, cl. 7.1	Polymeric insulators for indoor and outdoor use	A, D
6.18	Dielectric artificial pollution tests	ANSI C29.18, cl. 8.6, method 2	Composite line post insulators	A, D
6.19	Dielectric artificial pollution tests	ANSI C29.12, cl. 8.3; CSA C411.4-16, cl. 5.5, method 2; CSA C411.5-16, cl. 5.7	Composite suspension insulators	A, D
6.20	Dielectric artificial pollution tests	IEEE C37.41, cl. 18.2.3	Fuses and accessories over 1 kV	A, D
<b>7</b>	<b>Measurement of reference voltage</b>			
7.1	Measurement of reference voltage	IEC 60099-4 ed. 3.0, cl. 7.2; ČSN EN 60099-4 ed. 3, cl. 7.2	Metal-oxide surge arresters	A,D
<b>8</b>	<b>Measurement of partial discharges and loss factor</b>			
8.1	Measurement of partial discharges and loss factor	IEC 60270 ed. 3.1; ČSN EN 60270	Electrical equipment, components and systems tested with AC voltage	A, D
8.2	Measurement of partial discharges and loss factor	IEEE Std 386, cl. 7.4	Separable insulated connectors for voltage systems over 600 V	A, D
8.3	Measurement of partial discharges and loss factor	IEC 60076-3 ed. 3.0, Annex A; ČSN EN 60076-3 ed. 2, Annex A	Power transformers	A, D
8.4	Measurement of partial discharges and loss factor	IEC 60099-4 ed. 3.0, cl. 9.1 c), d), 12.8.17; ČSN EN 60099-4 ed. 3, cl. 9.1 c), d), 12.8.17	Metal-oxide surge arresters	A, D
8.5	Measurement of partial discharges and loss factor	NTC 5651, cl. 8.1.3	Composite insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
8.6	Measurement of partial discharges and loss factor	IEC 60137 ed. 7.0, cl. 8.3, 9.2, 9.5; ČSN EN 60137 ed. 4, cl. 8.3, 9.2, 9.5; IEC 60137 ed. 7.0, cl. 8.6; IEEE Std. C57.19.01, tab. 5, 6; IEEE Std. C57.19.00, cl. 7.2, 7.4	Bushings	A, D
8.7	Measurement of partial discharges and loss factor	IEC 60358-1 ed. 1.0, cl. 9.2.2, 9.2.4; ČSN EN 60358-1 ed. 1.0, cl. 9.2.2, 9.2.4	Coupling capacitors and capacitive dividers	A, D
8.8	Measurement of partial discharges and loss factor	IEC 60660 ed. 2, cl. 3.5, 5.4; ČSN EN 60660, cl. 3.5, 5.4	Post insulators of organic materials	A, D
8.9	Measurement of partial discharges and loss factor	IEC 61869-1 ed. 2.0, cl. 7.3.2, 7.4.3; ČSN EN 61869-1, cl. 7.3.2, 7.4.3; IEC 61869-2 ed. 1.0, cl. 7.3.2, 7.4.3; ČSN EN 61869-2, cl. 7.3.2, 7.4.3	Instrument transformers	A, D
8.10	Measurement of partial discharges and loss factor	IEC 61869-3 ed. 1, cl. 7.3.2, 7.4.3; ČSN EN 61869-3, cl. 7.3.2, 7.4.3	Instrument transformers - inductive voltage transformers	A, D
8.11	Measurement of partial discharges and loss factor	IEC 61869-5 ed. 1.0, cl. 7.3.2, 7.2.501; ČSN EN 61869-5, cl. 7.3.2, 7.2.501	Instrument transformers - capacitor voltage transformers	A, D
8.12	Measurement of partial discharges and loss factor	IEC 62271-200 ed. 3.0, cl. 6.2.9, 7.101; ČSN EN 62271-200 ed. 3, cl. 6.2.9, 7.101; IEC 62271-203 ed. 3.0, cl. 6.2.9, 7.1.102; ČSN EN 62271-203 ed. 3, cl. 6.2.9, 7.1.102	Gas-insulated metal-enclosed switchgear	A, D
8.13	Measurement of partial discharges and loss factor	IEC 61442 ed. 3.0, cl. 8; ČSN EN 61442, cl. 7; IEC 60502-4 ed. 4.0; ČSN 34 7006 ed. 3; HD 629.1 S3, cl. 7; HD 629.2 S3, cl. 8; ČSN 34 7007 ed. 3, cl. 7	Cable accessories	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
8.14	Measurement of partial discharges and loss factor	ČSN IEC 60502-2, cl. 16.3, 18.2.5, 18.2.6; NEN-HD 620 S3, cl. 3.3; HD 605-S3, cl. 3.10, 3.11	Power cables from 1 kV up to 30 kV	A, D
8.15	Measurement of partial discharges and loss factor	ČSN IEC 60840, cl. 9.2, 12.4.4, 12.4.5; IEC 60840 ed. 5.0, cl. 9.2, 12.4.4, 12.4.5; VDE 0276-632, cl. 12.4.4, 12.4.5; HD 632 S3, cl. 9.2, 12.4.4, 12.4.5	Power cables from 30 kV up to 150 kV	A, D
8.16	Measurement of partial discharges and loss factor	IEC 62067 ed. 3.0, cl. 9.2, 12.4.4, 12.4.5	Power cables from 150 kV up to 500 kV	A, D
<b>9</b>	<b>Electromagnetic interference measurement</b>			
9.1	Electromagnetic interference measurement	TR CISPR 18-2 ed. 3.0, cl. 4.5	Overhead power lines and high-voltage equipment	A, D
9.2	Electromagnetic interference measurement	IEC 60099-4 ed. 3.0, cl. 8.14; ČSN EN 60099-4 ed. 3, cl. 8.14; IEEE Std. C62.11, cl. 8.10; ČSN EN IEC 60099-8 ed. 2, cl. 10.4; IEC 60099-9 ed.1.0, cl. 9.9	Metal-oxide surge arresters	A, D
9.3	Electromagnetic interference measurement	IEC 60137 ed. 7.0, cl. 8.7; ČSN EN 60137 ed. 4, cl. 8.7; IEEE Std. C57.19.01, tab. 5; IEEE Std. C57.19.00, cl. 7.2, 7.4	Bushings	A, D
9.4	Electromagnetic interference measurement	IEC 60358-1 ed. 1.0, cl. 10.3; ČSN EN 60358-1 ed. 1, cl. 10.3	Coupling capacitors and capacitive dividers	A, D
9.5	Electromagnetic interference measurement	IEC 60383-1 ed. 5.0, cl. 14	Ceramic and glass insulators	A, D
9.6	Electromagnetic interference measurement	IEC 60437 ed. 3.0; ČSN EN IEC 60437 ed. 2	Insulators	A, D
9.7	Electromagnetic interference measurement	IEC 61284 ed. 2, cl. 14; ČSN EN 61284, cl. 14	Fittings for overhead lines	A, D
9.8	Electromagnetic interference measurement	IEC 61854 ed. 2, cl. 7.7; ČSN EN IEC 61854 ed.2, cl. 7.7	Spacers	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
9.9	Electromagnetic interference measurement	IEC 61869-1 ed. 2.0, cl. 7.2.5, 7.2.5.1; ČSN EN 61869-1, cl. 7.2.5, 7.2.5.1; IEC 61869-2 ed. 1.0, cl. 7.2.5, 7.2.5.1; ČSN EN 61869-2, cl. 7.2.5, 7.2.5.1	Instrument transformers	A, D
9.10	Electromagnetic interference measurement	IEC 61869-5 ed. 1.0, cl. 7.2.5, 7.2.5.1; ČSN EN 61869-5, cl. 7.2.5, 7.2.5.1	Instrument transformers - capacitor voltage transformers	A, D
9.11	Electromagnetic interference measurement	ČSN EN IEC 61897 ed. 2, cl. 7.10	Vibration dampers	A, D
9.12	Electromagnetic interference measurement	ČSN EN 62271-1 ed. 2, cl. 7.3, 7.9.1.1; IEC 62271-104 ed. 3.0, cl. 7.3; ČSN EN IEC 62271-104 ed. 3, cl. 7.3; IEEE Std C37.30.1, cl. 8.7, 8.8	Switchgear and controlgear	A, D
9.13	Electromagnetic interference measurement	IEC 62271-100 ed. 3.0, cl. 6.3; ČSN EN IEC 62271-100 ed. 3, cl. 6.3	High-voltage alternating-current circuit breakers	A, D
9.14	Electromagnetic interference measurement	IEC 62271-102 ed. 2.0, cl. 7.3; ČSN EN 62271-102 ed. 2, cl. 6.3	Disconnectors and earthing switches	A, D
9.15	Electromagnetic interference measurement	IEC 62271-105 ed. 3.0, cl. 6.3; ČSN EN 62271-105 ed. 3, cl. 6.3; IEEE Std. C37.42, cl. 6.4	Alternating current switch-fuse combinations	A, D
9.16	Electromagnetic interference measurement	IEEE C37.41, cl. 10	Fuses and accessories over 1 kV	A, D
9.17	Electromagnetic interference measurement	ANSI C29.1, cl. 4.9	Insulators	A, D
9.18	Electromagnetic interference measurement	ANSI C29.2A, cl. 8.2.6; ANSI C29.2B, cl. 8.2.4	Suspension type insulators - porcelain or glass	A, D
9.19	Electromagnetic interference measurement	ANSI C29.5, cl. 8.2.4; ANSI C29.6, cl. 8.2.4; ANSI C29.7, cl. 8.2.4	Porcelain insulators (pin type & line-post type)	A, D
9.20	Electromagnetic interference measurement	CAN/CSA C156.1-18, cl. 9.2.5	Station post insulators	A, D
9.21	Electromagnetic interference measurement	ANSI C29.9, cl. 8.2.4	Ceramic insulators - apparatus and post-type	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
9.22	Electromagnetic interference measurement	ANSI C29.11, cl. 8.2.8	Composite suspension insulators for overhead lines	A, D
9.23	Electromagnetic interference measurement	ANSI C29.13, cl. 9.4	Composite insulators of distribution deadend type	A, D
9.24	Electromagnetic interference measurement	ANSI C29.17, cl. 8.4; ANSI C29.18, cl. 9.4; CSA C411.6-16, cl. 6.4	Composite line post insulators	A, D
9.25	Electromagnetic interference measurement	ANSI C29.19, cl. 8.4; CAN/CSA C156.2-18, cl. 6.4	Composite station post insulator	A, D
9.26	Electromagnetic interference measurement	CSA C411.1-16, cl. 6.7	Suspension insulators	A, D
9.27	Electromagnetic interference measurement	ANSI C29.12, cl. 9.4; CSA C411.4-16, cl. 6.4; CSA C411.5-16, cl. 6.4	Composite suspension insulators	A, D
9.28	Electromagnetic interference measurement	NEMA No. 107	High-voltage equipment	A, D
9.29	Electromagnetic interference measurement	ANSI/NEMA CC 1-2018, cl. 3.3	Electric power connection for substations	A, D
<b>10</b>	<b>Impulse voltage puncture test and alternating voltage test</b>			
10.1	Impulse voltage puncture test and alternating voltage test	IEC 61211 ed. 2, cl. 5; ČSN EN 61211, cl. 5; IEC 60383-1 ed. 5.0, cl. 15.1; ANSI C29.1, cl. 4.11; ANSI C29.2B, cl. 8.3.5; ANSI C29.5, cl. 8.3.5	Insulators	A, D
10.2	Impulse voltage puncture test and alternating voltage test	ČSN EN 60168, cl. 4.9; CAN/CSA C156.1-18, cl. 9.3.7	Station post insulators	A, D
10.3	Impulse voltage puncture test and alternating voltage test	CSA C411.1-16, cl. 6.6	Suspension insulators	A, D
10.4	Impulse voltage puncture test and alternating voltage test	ČSN EN IEC 60099-8 ed.2, cl. 10.5.2	Metal-oxide surge arresters	A, D
<b>11</b>	<b>Dielectric tests of protective and working equipment</b>			
11.1	Dielectric tests of protective and working equipment	PNE 35 9700 ed. 5, cl. 4, 5	Dielectric protective and working tools	A, D
11.2	Dielectric tests of protective and working equipment	PNE 35 9700 ed. 5, cl. 4, 5; ČSN 35 9701	Handling rods, fuse tongs, salvage hooks	A, D
11.3	Dielectric tests of protective and working equipment	IEC 61243-1 ed. 3, cl. 6, 7; ČSN EN IEC 61243-1 ed. 2, cl. 6, 7; IEC 61243-2 ed.1.2, cl. 5; ČSN EN 61243-2, cl. 5	Voltage detectors	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
11.4	Dielectric tests of protective and working equipment	ČSN EN IEC 62271-213, cl. 7.3.2, 7.3.3, 7.3.4, 7.4, 7.5, 7.6, 7.7, 7.11, 7.13 ČSN EN IEC 62271-215, cl. 7.4.2, 7.4.3, 7.4.4, 7.5, 7.9, 7.10, 7.12	Voltage detecting systems (VDS)	A, D
11.5	Dielectric tests of protective and working equipment	IEC 60832-1 ed. 1.0, cl. 5.7; ČSN EN 60832-1, cl. 5.7	Insulating poles and heads	A, D
11.6	Dielectric tests of protective and working equipment	IEC 60855-1 ed. 2.0, cl. 5.4; ČSN EN 60855-1, cl. 5.4	Foam-filled insulating tubes and solid bars	A, D
11.7	Dielectric tests of protective and working equipment	IEC 61229 ed. 1.2, cl. 6.4; ČSN EN 61229, cl. 6.4	Fixed protective covers	A, D
11.8	Dielectric tests of protective and working equipment	IEC 61235 ed. 1, cl. 9; ČSN EN 61235, cl. 9	Insulating hollow tubes	A, D
11.9	Dielectric tests of protective and working equipment	IEC 61478 ed. 1, cl. 6.5; ČSN EN 61478, cl. 6.5	Insulating ladders	A, D
11.10	Dielectric tests of protective and working equipment	IEC 61479 ed. 1, cl. 7.4; ČSN EN 61479, cl. 7.4	Flexible conductor covers	A, D
11.11	Dielectric tests of protective and working equipment	ČSN EN 62193, cl. 5, 6	Telescopic sticks	A, D
<b>12</b>	<b>Design tests of interface and connection of end fittings</b>			
12.1	Design tests of interface and connection of end fittings	IEC 60099-4 ed. 3.0, cl. 10.8.11.3.2; ČSN EN 60099-4 ed. 3, cl. 10.8.11.3.2	Overvoltage limiters	A, D
12.2	Design tests of interface and connection of end fittings	IEC 60660 ed. 2, cl. 3.10; ČSN EN 60660, cl. 3.10	Post insulators of organic material	A, D
12.3	Design tests of interface and connection of end fittings	IEC 61109 ed. 2.0, cl. 10.1, 10.2.1, 10.3.1, 10.3.2; ČSN EN 61109, cl. 10.1, 10.2.1, 10.3.1, 10.3.2; NTC 5651, cl. 8.3.2	Composite insulators	A, D
12.4	Design tests of interface and connection of end fittings	IEC 61462 ed. 2.0, cl. 7.2; ČSN EN 61462, cl. 7.2, 9.5; IEC 62772 ed. 2.0, cl. 8.2	Composite hollow insulators and station post hollow insulators	A, D
12.5	Design tests of interface and connection of end fittings	IEC 61952 ed. 2.0, cl. 10.1, 10.2.1, 10.3.1; ČSN EN 61952 ed. 2, cl. 10.1, 10.2.1, 10.3.1; CSA C411.6-16, cl. 5.2	Composite line post insulators for overhead lines	A, D
12.6	Design tests of interface and connection of end fittings	IEC 62217 ed. 2.0, cl. 9.2; ČSN EN 62217 ed. 2, cl. 9.2	Polymeric insulators for indoor and outdoor use	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
12.7	Design tests of interface and connection of end fittings	IEC 62231 ed. 1, cl. 8.2; ČSN EN 62231, cl. 8.2; ANSI C29.19, cl. 7.1; CAN/CSA C156.2-18, cl. 5.2	Composite station post insulators	A, D
12.8	Design tests of interface and connection of end fittings	ANSI C29.11, cl. 7.1	Composite suspension insulators for overhead lines	A, D
12.9	Design tests of interface and connection of end fittings	ANSI C29.17, cl. 7.1; ANSI C29.18, cl. 8.1	Composite line post insulators	A, D
12.10	Design tests of interface and connection of end fittings	CSA C411.4-16, cl. 5.3; CSA C411.5-16, cl. 5.2; ANSI C29.12, cl. 8.1	Composite suspension insulators	A, D
<b>13</b>	<b>Test for the core material (dye penetration test and water diffusion test)</b>			
13.1	Test for the core material (dye penetration test and water diffusion test)	IEC 61109 ed. 2.0, cl. 10.1, 10.2.3; ČSN EN 61109, cl. 10.1, 10.2.3;	Composite insulators	A, D
13.2	Test for the core material (dye penetration test and water diffusion test)	IEC 60383-1 ed. 5.0, cl. 26; IEC 60168 ed. 4.2, cl. 5.6; CAN/CSA C156.1-18, cl. 9.3.8	Ceramic and glass insulators	A, D
13.3	Test for the core material (dye penetration test and water diffusion test)	IEC 61952 ed. 2.0, cl. 10.1, 10.2.3; ČSN EN 61952 ed. 2, cl. 10.1, 10.2.3; CSA C411.6-16, cl. 5.4, 5.5	Composite line post insulators for overhead lines	A, D
13.4	Test for the core material (dye penetration test and water diffusion test)	CSA C310-21, cl. 7.2	Switch with fuses	A, D
13.5	Test for the core material (dye penetration test and water diffusion test)	IEC 61462 ed. 2.0, cl. 7.4; ČSN EN 61462, cl. 7.4; IEC 62772 ed. 2.0, cl. 8.5	Composite hollow insulators and station post hollow insulators	A, D
13.6	Test for the core material (dye penetration test and water diffusion test)	IEC 62217 ed. 2.0, cl. 9.4; ČSN EN 62217 ed. 2, cl. 9.4	Polymeric insulators for indoor and outdoor use	A, D
13.7	Test for the core material (dye penetration test and water diffusion test)	ANSI C29.1, cl. 5.4; ANSI C29.2B, cl. 8.3.2; ANSI C29.9, cl. 8.3.2; ANSI C29.5, cl. 8.3.3; ANSI C29.7, cl. 8.3.2	Glass and porcelain insulators	A, D
13.8	Test for the core material (dye penetration test and water diffusion test)	ČSN EN 62155, cl. 7.4	Glass and porcelain hollow insulators	A, D
13.9	Test for the core material (dye penetration test and water diffusion test)	ANSI C29.11, cl. 7.4	Composite suspension insulators for overhead lines	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
13.10	Test for the core material (dye penetration test and water diffusion test)	ANSI C29.13, cl. 8.3, 8.4; ANSI C29.13, cl. 8.5.3.1	Composite insulators of distribution deadend type	A, D
13.11	Test for the core material (dye penetration test and water diffusion test)	ANSI C29.17, cl. 7.5; ANSI C29.18, cl. 8.3, 8.4; ANSI C29.18, cl. 8.5.3.1	Composite line post insulators	A, D
13.12	Test for the core material (dye penetration test and water diffusion test)	ANSI C29.19, cl. 7.5; CAN/CSA C156.2-18, cl. 5.4, 5.5, 5.6.3.2	Composite station post insulators	A, D
13.13	Test for the core material (dye penetration test and water diffusion test)	CSA C411.4-16, cl. 5.2; CSA C411.5-16, cl. 5.4, 5.5, 5.6.3.2; CSA C411.5-16, cl. 6.2; CSA C411.6-16, cl. 5.6.3.2; ANSI C29.12, cl. 8.4	Composite suspension insulators	A, D
13.14	Test for the core material (dye penetration test and water diffusion test)	IEEE C37.41, cl. 18.3	Fuses and accessories over 1 kV	A, D
<b>14</b>	<b>Mechanical force tests (tension, bending, impact)</b>			
14.1	Mechanical force tests (tension, bending, impact)	IEC 60137 ed. 7.0, cl. 8.10; ČSN EN 60137 ed. 4, cl. 8.10; IEEE C57.19.00, cl. 7.2.2	Bushings	A, D
14.2	Mechanical force tests (tension, bending, impact)	IEC 60168 ed. 4.2, cl. 5.2.1, 5.2.2, 5.2.3, 5.2.4, 5.2.6; 5.2.7 ČSN EN 60168 cl. 5.2.1, 5.2.2, 5.2.3, 5.2.4, 5.2.6, 5.2.7 AS 4398.2-2005, cl. 5.2.1, 5.2.2, 5.2.3, 5.2.4, 5.2.6; 5.2.7 CAN/CSA C156.1-18, cl. 9.2.4.5, 9.2.4.7	Station post insulators	A, D
14.3	Mechanical force tests (tension, bending, impact)	IEC 60383-1 ed. 5.0, cl. 18, 19, 21, 28, 30; ČSN EN IEC 60383-1, cl. 18, 19, 28; AS/NZS 2947.1-99, cl. 5; IEC TR 60797 ed. 1, cl. 4; AS 3608-2005, cl. 2.2, 2.3, 3.2.3, 4.2; AS 3609-2005, cl. 2.3, 3.2.3, 4.3	Ceramic and glass insulators	A, D
14.4	Mechanical force tests (tension, bending, impact)	IEC 60660 ed. 2, cl. 3.7, 3.8, 3.9, 5.3; ČSN EN 60660, cl. 3.7, 3.8, 3.9, 5.3	Post insulators of organic materials	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
14.5	Mechanical force tests (tension, bending, impact)	IEC 61109 ed. 2.0, cl. 13; ČSN EN 61109, cl. 13; NTC 5651, cl. 19	Composite insulators	A, D
14.6	Mechanical force tests (tension, bending, impact)	ČSN EN IEC 62271-213, cl. 7.19 ČSN EN IEC 62271-215, cl. 7.17	Voltage detecting systems (VDS)	A, D
14.7	Mechanical force tests (tension, bending, impact)	IEC 61284 ed. 2, cl. 11; ČSN EN 61284, cl. 11	Fittings for overhead lines	A, D
14.8	Mechanical force tests (tension, bending, impact)	IEC 61462 ed. 2.0, cl. 10.3; ČSN EN 61462, cl. 10.4; IEC 62772 ed. 2.0, cl. 8.3.1, 8.3.3	Composite hollow insulators Composite hollow core station post insulators	A, D
14.9	Mechanical force tests (tension, bending, impact)	IEC 61952 ed. 2.0, cl. 11.2, 12.4, 13; ČSN EN 61952 ed. 2, cl. 11.2, 12.4, 13; CSA C411.6-16, cl. 5.8, 5.9	Composite line post insulators for overhead lines	A, D
14.10	Mechanical force tests (tension, bending, impact)	IEC 62155 ed. 1, cl. 7, 7.2, 8.3; ČSN EN 62155, cl. 7, 7.2, 8.3	Ceramic or glass hollow insulators	A, D
14.11	Mechanical force tests (tension, bending, impact)	IEC 62231 ed. 1, cl. 9.3, 10.4; ČSN EN 62231, cl. 9.3, 10.4; ANSI C29.19, cl. 7.2.1, 7.2.3, 7.2.5, 9.4, 9.5, 10.1; CAN/CSA C156.2-18, cl. 5.8, 5.9	Composite station post insulators	A, D
14.12	Mechanical force tests (tension, bending, impact)	ČSN EN 60099-4 ed. 3, cl. 8.11.6	Metal-oxide surge arrester	A, D
14.13	Mechanical force tests (tension, bending, impact)	CSA C411.1-16, cl. 6.9, 7.6, 8.4	Suspension insulators	A, D
14.14	Mechanical force tests (tension, bending, impact)	ANSI C29.12, cl. 10.3, 11.1; CSA C411.4-16, cl. 5.6, 7.5; CSA C411.5-16, cl. 5.8	Composite suspension insulators	A, D
14.15	Mechanical force tests (tension, bending, impact)	ANSI C29.1, cl. 5.1, 5.2, 5.3, 7.2	Insulators	A, D
14.16	Mechanical force tests (tension, bending, impact)	ANSI C29.2A, cl. 8.2.9, 8.3.4, 8.4.3; ANSI C29.2B, cl. 8.2.7, 8.3.4, 8.4.3	Suspension type insulators - porcelain or glass	A, D
14.17	Mechanical force tests (tension, bending, impact)	ANSI C29.1, cl. 5.1.2.2; ANSI C29.2B, cl. 8.2.8	Suspension insulators - ceramic and glass	A, D
14.18	Mechanical force tests (tension, bending, impact)	ANSI C29.4, cl. 8.3.4	Porcelain insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
14.19	Mechanical force tests (tension, bending, impact)	ANSI C29.5, cl. 8.2.5; ANSI C29.6, cl. 8.3.3; ANSI C29.7, cl. 8.3.4	Porcelain insulators (pin type)	A, D
14.20	Mechanical force tests (tension, bending, impact)	ANSI C29.9, cl. 8.2.6, 8.3.4, 8.3.5	Ceramic insulators - apparatus and post-type	A, D
14.21	Mechanical force tests (tension, bending, impact)	ANSI C29.11, cl. 8.3.1.2, 8.3.1.3, 8.3.1.3.1, 8.3.1.3.2, 8.3.2, 9.4, 9.5, 10.1	Composite suspension insulators for overhead lines	A, D
14.22	Mechanical force tests (tension, bending, impact)	ANSI C29.13, cl. 8.7, 10.3, 11.1	Composite insulators of distribution deadend type	A, D
14.23	Mechanical force tests (tension, bending, impact)	ANSI C29.17, cl. 9.4, 9.5, 10; ANSI C29.18, cl. 8.7,10.3	Composite line post insulators	A, D
14.24	Mechanical force tests (tension, bending, impact)	ANSI/NEMA CC 1-2018, cl. 3.2	Electric power connection for substations	A, D
14.25	Mechanical force tests (tension, bending, impact)	ČSN IEC 60502-2, cl. 18.2.4; NEN-HD 620 S3, cl. 3.3; HD 605-S3, cl. 2.4.1.7	Power cables from 1 kV up to 30 kV	A, D
14.26	Mechanical force tests (tension, bending, impact)	ČSN IEC 60840, cl. 12.4.3; IEC 60840 ed. 5.0, cl. 12.4.3; VDE 0276-632, cl. 12.4.3; HD 632 S3, cl. 12.4.3	Power cables from 30 kV up to 150 kV	A, D
14.27	Mechanical force tests (tension, bending, impact)	IEC 62067 ed. 3.0, cl. 12.4.3	Power cables from 150 kV up to 500 kV	A, D
14.28	Mechanical force tests (tension, bending, impact)	IEC 61467 ed. 1.0, cl. 10.5, Tab. 4; ČSN EN 61467, cl. 10.5, Tab. 4; STL guide to IEC 61467 ed. 1.0	Insulator springs for overhead lines above 1 kV	A, D
<b>15</b>	<b>Assembled core load-time tests</b>			
15.1	Assembled core load-time tests	IEC 61109 ed. 2.0, cl. 10.4, 11.2, 12.4; ČSN EN 61109, cl. 10.4, 11.2, 12.4;	Composite insulators	A, D
15.2	Assembled core load-time tests	IEC 61952 ed. 2.0, cl. 10.4; ČSN EN 61952 ed. 2, cl. 10.4; ANSI C29.17, cl. 7.2; ANSI C29.18, cl. 8.5.3.1; IEC/TR 62039 ed. 2, cl. 4.8	Composite line post insulators for overhead lines	A, D
15.3	Assembled core load-time tests	IEC 62231 ed. 1, cl. 8.3; ČSN EN 62231, cl. 8.3; ANSI C29.19, cl. 7.2.2	Composite station post insulators	A, D
15.4	Assembled core load-time tests	ANSI C29.11, cl. 7.2	Composite suspension insulators for overhead lines	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
15.5	Assembled core load-time tests	CSA C411.4-16, cl. 5.8, 5.9; ANSI C29.12, cl. 8.2	Composite suspension insulators	A, D
<b>16</b>	<b>Thermal - mechanical tests</b>			
16.1	Thermal - mechanical tests	IEC 60099-4 ed. 3.0, cl. 10.8.11.3.1.2; ČSN EN 60099-4 ed. 3, cl. 10.8.11.3.1.2	Overvoltage limiters	A, D
16.2	Thermal - mechanical tests	IEC 60383-1 ed. 5.0, cl. 20; ČSN EN IEC 60383-1, cl. 20; AS/NZS 2947.1-99, cl. 20	Ceramic and glass insulators	A, D
16.3	Thermal - mechanical tests	IEC 60660 ed. 2, cl. 3.13; ČSN EN 60660, cl. 3.13	Post insulators of organic materials	A, D
16.4	Thermal - mechanical tests	IEC 61109 ed. 2.0, cl. 10.3.2; ČSN EN 61109, cl. 10.3.2	Composite insulators	A, D
16.5	Thermal - mechanical tests	IEC 61952 ed. 2.0, cl. 10.3.1; ČSN EN 61952 ed. 2, cl. 10.3.1; CSA C411.6-16, cl. 5.10	Composite line post insulators for overhead lines	A, D
16.6	Thermal - mechanical tests	IEC 62231 ed. 1, cl. 8.2.4; ČSN EN 62231, cl. 8.2.4; CAN/CSA C156.2-18, cl. 5.12	Composite station post insulators	A, D
16.7	Thermal - mechanical tests	CSA C411.1-16, cl. 6.10	Suspension insulators	A, D
16.8	Thermal - mechanical tests	CSA C411.4-16, cl. 5.7; CSA C411.5-16, cl. 5.10	Composite suspension insulators	A, D
16.9	Thermal - mechanical tests	ANSI C29.2A, cl. 8.2.7; ANSI C29.2B, cl. 8.2.5	Suspension type insulators - porcelain or glass	A, D
16.10	Thermal - mechanical tests	ANSI C29.11, cl. 7.1.4	Composite suspension insulators for overhead lines	A, D
16.11	Thermal - mechanical tests	ANSI C29.13, cl. 8.9	Composite insulators of distribution deadend type	A, D
16.12	Thermal - mechanical tests	ANSI C29.18, cl. 8.8	Composite line post insulators	A, D
<b>17</b>	<b>Temperature cycle tests</b>			
17.1	Temperature cycle tests	IEC 60168 ed. 4.2, cl. 5.4, 5.5; ČSN EN 60168, cl. 5.4, 5.5; AS 4398.2-2005, cl. 5.4, 5.5; CAN/CSA C156.1-18, cl. 9.3.4	Station post insulators	A, D
17.2	Temperature cycle tests	IEC 60383-1 ed. 5.0, cl. 24, 25; ČSN EN IEC 60383-1, cl. 24, 25; AS/NZS 2947.1, cl. 23, 24	Ceramic and glass insulators	A, D
17.3	Temperature cycle tests	NTC 5651, cl. 18	Composite insulators	A, D
17.4	Temperature cycle tests	IEC 62155 ed. 1, cl. 7, 7.3; ČSN EN 62155, cl. 7, 7.3	Ceramic or glass hollow insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
17.5	Temperature cycle tests	CSA C411.1-16, cl. 7.5, 8.3	Suspension insulators	A, D
17.6	Temperature cycle tests	ANSI C29.1, cl. 5.5	Insulators	A, D
17.7	Temperature cycle tests	ANSI C29.2A, cl. 8.2.8; ANSI C29.2B, cl. 8.2.6	Suspension type insulators - porcelain or glass	A, D
17.8	Temperature cycle tests	ANSI C29.5, cl. 8.2.6; ANSI C29.6, cl. 8.2.5; ANSI C29.7, cl. 8.2.5	Porcelain insulators (pin type)	A, D
17.9	Temperature cycle tests	ANSI C29.9, cl. 8.2.5	Ceramic insulators - apparatus and post-type	A, D
17.10	Temperature cycle tests	ČSN IEC 60840, Annex H.3.1; IEC 60840 ed. 5.0, Annex H.3.1; HD 632 S3, Annex G3	Power cables from 30 kV to 150 kV	A, D
17.11	Temperature cycle tests	IEC 62067 ed. 3.0, Annex H.3.2	Power cables from 150 kV to 500 kV	A, D
<b>18</b>	<b>Verification of dimensions, displacement, contact angle and locking systems</b>			
18.1	Verification of dimensions, displacement, contact angle and locking systems	IEC 60137 ed. 7.0, cl. 8.14, 9.11; ČSN EN 60137 ed. 4, cl. 8.14	Bushings	A, D
18.2	Verification of dimensions, displacement, contact angle and locking systems	IEC 60168 ed. 4.2, cl. 5.1; ČSN EN 60168 cl. 5.1; AS 4398.2-2005, cl. 5.1, 5.3; CAN/CSA C156.1-18, cl. 9.3.2	Station post insulators	A, D
18.3	Verification of dimensions, displacement, contact angle and locking systems	IEC 60120 ed. 4, cl. 9, 10; ČSN EN IEC 60120, cl. 9, 10	Dimensions of ball and socket coupling of string insulator units	A, D
18.4	Verification of dimensions, displacement, contact angle and locking systems	IEC 60383-1 ed. 5.0, cl. 17, 22, 23; ČSN EN IEC 60383-1, cl. 22, 23; AS/NZS 2947.1-99, cl. 17, 21, 22; AS 3608-2005, cl. 2.1, 3.2.2, 4.1; AS 3609-2005, cl. 2.1, 3.2.2, 4.1	Ceramic and glass insulators	A, D
18.5	Verification of dimensions, displacement, contact angle and locking systems	IEC 60660 ed. 2, cl. 4.2, Annex A; ČSN EN 60660, cl. 4.2, Annex A	Post insulators of organic materials	A, D
18.6	Verification of dimensions, displacement, contact angle and locking systems	IEC 61109 ed. 2.0, cl. 12.2, 12.3, 8; ČSN EN 61109, cl. 12.2, 12.3, 8; IEC 62217 ed. 2, cl. 8; ČSN EN 62217 ed. 2, cl. 8; NTC 5651, cl. 17	Composite insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
18.7	Verification of dimensions, displacement, contact angle and locking systems	IEC 61284 ed. 2, cl. 7, 8; ČSN EN 61284, cl. 7, 8	Fittings for overhead lines	A, D
18.8	Verification of dimensions, displacement, contact angle and locking systems	IEC 61462 ed. 2.0, cl. 9.3; ČSN EN 61462, cl. 9.3	Composite hollow insulators	A, D
18.9	Verification of dimensions, displacement, contact angle and locking systems	IEC 61952 ed. 2, cl. 12.2, 8; ČSN EN 61952 ed. 2, cl. 12.2, 12.3, 8;	Composite line post insulators for overhead lines	A, D
18.10	Verification of dimensions, displacement, contact angle and locking systems	IEC TR 62039 ed. 2.0, cl. 4.12.2.3, 4.12.2.4;	Polymeric materials	A, D
18.11	Verification of dimensions, displacement, contact angle and locking systems	IEC 62155 ed. 1, cl. 7.1; ČSN EN 62155, cl. 7.1	Ceramic or glass hollow insulators	A, D
18.12	Verification of dimensions, displacement, contact angle and locking systems	IEC 62231 ed. 1, cl. 9.1; ČSN EN 62231, cl. 9.1; ANSI C29.19, cl. 9.2	Composite station post insulators	A, D
18.13	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.2A, cl. 8.3.1; ANSI C29.2B, cl. 8.3.1	Suspension type insulators - porcelain or glass	A, D
18.14	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.4, cl. 8.3.1	Porcelain insulators	A, D
18.15	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.9, cl. 5, 8.3.1	Ceramic insulators - apparatus and post-type	A, D
18.16	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.11, cl. 5, 9.2, 9.3	Composite suspension insulators for overhead lines	A, D
18.17	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.12, cl. 6, 10.1; CSA C411.1-16, cl. 7.4; CSA C411.4-16, cl. 4.7, 7.4	Composite suspension insulators	A, D
18.18	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.13, cl. 6, 10.1	Composite insulators of distribution deadend type	A, D
18.19	Verification of dimensions, displacement, contact angle and locking systems	ANSI C29.17, cl. 4, 9.2; ANSI C29.18, cl. 6, 10.1	Composite line post insulators	A, D
18.20	Verification of dimensions, displacement, contact angle and locking systems	EN 50124-1, cl. 7.2; ČSN EN 50124-1 ed.2, cl. 7.2	Railway equipment	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
18.21	Verification of dimensions, displacement, contact angle and locking systems	ČSN EN 60811-201, cl. 4.4; ČSN IEC 60502-2, cl. 17.5; ČSN IEC 60840, cl. 12.4.1; IEC 62067 ed. 3.0, cl. 12.4.1; IEC 60840, cl. 12.4.1	Electric and optical fibre cables	A, D
18.22	Verification of dimensions, displacement, contact angle and locking systems	ČSN IEC 60840, cl. 12.4.8.1, Annex H.5; IEC 60840, cl. 12.4.8.1, Annex H.5; VDE 0276-632, cl. 12.4.8; HD 632 S3, cl. 12.4.8.1, Annex G.5	Power cables from 30 kV up to 150 kV	A, D
18.23	Verification of dimensions, displacement, contact angle and locking systems	IEC 62067 ed. 3.0, cl. 12.4.8.1, Annex H.4.4	Power cables from 150 kV up to 500 kV	A, D
<b>19</b>	<b>Hardness test of shed and housing material (Shore)</b>			
19.1	Hardness test of shed and housing material (Shore)	IEC 61462 ed. 2.0, cl. 7.3.1; ČSN EN 61462, cl. 7.3.1	Composite hollow insulators	A, D
19.2	Hardness test of shed and housing material (Shore)	IEC 62217 ed. 2, cl. 9.3.1; ČSN EN 62217 ed. 2, cl. 9.3.1	Polymeric insulators for indoor and outdoor use	A, D
19.3	Hardness test of shed and housing material (Shore)	IEC 62231 ed. 1, cl. 8.4; ČSN EN 62231, cl. 8.4	Composite station post insulators	A, D
19.4	Hardness test of shed and housing material (Shore)	ANSI C29.13, cl. 8.1	Composite insulators of distribution deadend type	A, D
<b>20</b>	<b>Determination of the coating mass by the magnetic test method</b>			
20.1	Determination of the coating mass by the magnetic test method	IEC 60383-1 ed. 5.0, cl. 27; ČSN EN IEC 60383-1, cl. 27; ANSI C29.2B, cl. 8.3.3; ANSI C29.7, cl. 8.3.3	Ceramic and glass insulators	A, D
20.2	Determination of the coating mass by the magnetic test method	IEC 60168 ed. 4.2, cl. 5.7.1.2; ČSN EN 60168 cl. 5.7.1.2	Station post insulators	A, D
20.3	Determination of the coating mass by the magnetic test method	IEC 61109 ed. 2.0, cl. 12.5; ČSN EN 61109, cl. 12.5	Composite insulators	A, D
20.4	Determination of the coating mass by the magnetic test method	IEC 61284 ed. 2, chap. 9 ČSN EN 61284, chap. 9	Fittings for overhead lines	A, D
20.5	Determination of the coating mass by the magnetic test method	ANSI C29.11, cl. 9.6; ANSI C29.13, cl. 10.2; ANSI C29.17, cl. 9.3; ANSI C29.19, cl. 9.3; IEC 62231 ed.1, cl. 10.3	Composite insulators	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
<b>21</b>	<b>Tightness test of oil, gas and water leakage</b>			
21.1	Oil, gas and water leak test	IEC 60137 ed. 7, cl. 8.11; ČSN EN 60137 ed. 4, cl. 8.11; IEC 61462 ed. 2.0, cl. 7.2.6.4; ČSN EN 61462, cl. 7.2.5.4	Bushings Hollow core insulators	A, D
21.2	Oil, gas and water leak test	ČSN IEC 60840, Annex E, F; IEC 60840 ed. 5.0, Annex E, F; HD 632 S3, Annex E	Power cables from 30 kV to 150 kV	A, D
21.3	Oil, gas and water leak test	IEC 62067 ed. 3.0, Annex E, F	Power cables from 150 kV to 500 kV	A, D
<b>22</b>	<b>Temperature-rise test</b>			
22.1	Temperature-rise test	IEC 60137 ed. 7, cl. 8.8, 8.9; ČSN IEC 60137 ed. 4, cl. 8.8, 8.9; IEEE C57.19.00, cl. 7.2.3	Bushings	A, D
22.2	Temperature-rise test	ČSN EN 62271-1 ed.2, cl. 7.5; ČSN EN IEC 62271-102 ed.2, cl. 7.5; ČSN EN 62271-103, cl. 7.5; ČSN EN IEC 62271-104 ed.3, cl. 7.5	Switchgear and controlgear	A, D
<b>23</b>	<b>Measurement of electrical resistance, resistivity and magnetic losses</b>			
23.1	Measurement of electrical resistance, resistivity and magnetic losses	IEC 60358-1 ed. 1.0, cl. 9.2.6; ČSN EN 60358-1, cl. 9.2.6	Coupling capacitors and capacitive dividers	A, D
23.2	Measurement of electrical resistance, resistivity and magnetic losses	ČSN IEC 60502-2, cl. 16.2, 18.2.10; IEC 60228 ed. 4.0; ČSN IEC 60502-1, cl. 17.2, 17.3	Power cables from 1 kV up to 30 kV	A, D
23.3	Measurement of electrical resistance, resistivity and magnetic losses	IEC 60840 ed. 5.0, cl. 12.4.9, Annex D; ČSN IEC 60840, cl. 12.4.9; VDE 0276-632, cl. 12.4.9; HD 632 S3, cl. 12.4.9, Annex D	Power cables from 30 kV up to 150 kV	A, D
23.4	Measurement of electrical resistance, resistivity and magnetic losses	IEC 62067 ed. 3.0, cl. 12.4.9 IEC 62067 ed. 3.0, cl. 12.4.9	Power cables from 150 kV up to 500 kV	A, D
23.5	Measurement of electrical resistance, resistivity and magnetic losses	IEC 61284 ed. 2, cl. 12 ČSN EN 61284, cl. 12	Fittings for overhead lines	A, D

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

Ordinal number <sup>1</sup>	Test procedure / method name	Test procedure / method identification <sup>2</sup>	Tested subject	Degrees of freedom <sup>3</sup>
23.6	Measurement of electrical resistance, resistivity and magnetic losses	ČSN EN 62271-1 ed. 2, cl. 7.4; ČSN EN IEC 62271-102 ed. 2, cl. 7.4; ČSN EN 62271-103, cl. 7.4; ČSN EN IEC 62271-104 ed. 3, cl. 7.4	Switchgear and controlgear	A, D
<b>24</b>	<b>Temperature cycle tests</b>			
24.1	Temperature cycle tests	ČSN IEC 60502-2, cl. 18.2.7; NEN-HD 620 S3, cl. 3.3; HD 605-S3, cl. 3.8	Power cables from 1 kV to 30 kV	A, D
24.2	Temperature cycle tests	IEC 60840 ed. 5.0, cl. 12.4.6; ČSN IEC 60840, cl. 12.4.6; VDE 0276-632, cl. 12.4.6; HD 632 S3, cl. 12.4.6	Power cables from 30 kV to 150 kV	A, D
24.3	Temperature cycle tests	IEC 62067 ed. 3.0, cl. 12.4.6	Power cables from 150 kV to 500 kV	A, D
24.4	Temperature cycle tests	IEC 61284, cl. 13.5.2 ČSN EN 61284, cl. 13.5.2	Fittings for overhead lines	A, D
24.5	Temperature cycle tests	IEC 61442 ed. 3.0, cl. 9.10; ČSN EN 61442, cl. 8, 9; IEC 60502-4 ed. 4.0; ČSN 34 7006 ed. 3; HD 629.1 S3	Accessories for power cables	A, D
<b>25</b>	<b>Electric and magnetic field measurement (1 Hz to 100 kHz)</b>			
25.1*	Electric and magnetic field measurement (1 Hz to 100 kHz)	IEC 62110 ed. 1.0 ČSN EN 62110; ČSN EN 50413	Environment with installed equipment for the generation, transmission and distribution of electricity	A, D
<b>26</b>	<b>Assessment of non-ionising radiation values (1 Hz to 100 kHz) by calculation</b>			
26.1*	Assessment of non-ionising radiation values (1 Hz to 100 kHz) by calculation	IP5 (GR No. 291/2015 Coll.; MoH CR Bulletin No. 8/2017)	Environment with installed equipment for the generation, transmission and distribution of electricity	A, D
<b>27</b>	<b>Impulse current tests</b>			
27.1	Impulse current tests	IEC 60099-4 ed. 3, cl. 8.3, 9.1 b) ČSN EN 60099-4 ed. 3, cl. 8.3, 9.1 b)	Surge arresters	A, D

<sup>1</sup> asterisk at the ordinal number identifies the tests, which the laboratory is qualified to carry out outside the permanent laboratory premises

<sup>2</sup> if the document identifying the test procedure is dated, only these specific procedures are used. If the document identifying the test procedure is not dated, the latest valid edition of the specified procedure is used (including any changes)

**The Appendix is an integral part of  
Certificate of Accreditation No.: 8/2025 of 09/01/2025**

**Accredited entity according to ČSN EN ISO/IEC 17025:2018:**

**EGU - HV Laboratory a.s.**  
CAB number 1029, EGU HV LABORATORY  
Podnikatelská 267, 190 11 Praha 9 - Běchovice

<sup>3</sup> degrees of freedom: A – Flexibility concerning materials/products (subject of the test), B – Flexibility concerning components/parameters/characteristics, C – Flexibility concerning the performance of the method, D – Flexibility concerning the method

The laboratory can modify the test procedures with the specified degree(s) of freedom in the scope of accreditation while maintaining the principle of measurement. If no degree of freedom is specified, the laboratory cannot apply a flexible approach to the scope of accreditation for the test.

**Explanations and abbreviations:**

ANSI	- American National Standards Institute
AS	- Australian Standard
CAN/CSA	- Canadian Standard
IEEE	- Standard published by an international non-profit professional organization
IP	- Internal Testing Procedure
NEMA	- National Electrical Manufacturers Association
NTC	- Colombian Standard
HD	- Harmonized Document
GR No. 291/2015 Coll.	- on health protection against non-ionising radiation
PNE	- Branch standard
MoH CR Bulletin No. 8/2017	- Guideline for the procedure pursuant to Sections 35 and 36 of Act No. 258/2000 Coll., on the protection of public health and on the amendment of certain related acts, as amended, and Government Decree No. 291/2015 coll., on the protection of health against non-ionizing radiation

---

*"This document is an appendix to the certificate of accreditation. In case of any discrepancies between the English and Czech versions, the Czech version shall prevail, both for the certificate appendix and the certificate itself. "*